

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

FEB 4 REC'D

UNITED STATES

Cotton Quality Report



Classings Through January 29, 2009

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 29, 2009

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	-	-	25	244	862	3,991	16,761	52,614	74,497
	3	-	4	56	514	1,936	7,415	26,126	69,745	105,796
	4	-	-	3	57	192	656	1,982	5,858	8,748
	5	-	-	-	1	5	18	64	229	317
	6	-	-	-	-	-	-	-	8	8
	7	-	-	-	-	-	-	-	1	1
TOTAL----		-	4	84	816	2,995	12,080	44,933	128,455	189,367
31	1-2	-	3	25	481	1,685	4,452	11,929	24,591	43,166
	3	-	17	151	1,534	8,047	40,475	151,849	367,395	569,468
	4	-	4	59	437	2,427	10,335	40,920	132,362	186,544
	5	-	-	5	38	292	1,158	3,150	10,050	14,693
	6	-	-	-	9	43	93	220	802	1,167
	7	-	-	-	8	12	12	19	46	97
TOTAL----		-	24	240	2,507	12,506	56,525	208,087	535,246	815,135
41	1-2	-	-	4	151	713	1,546	2,767	3,830	9,011
	3	-	2	54	790	7,447	45,674	174,797	389,737	618,501
	4	-	2	54	498	4,264	24,956	112,961	345,914	488,649
	5	-	-	7	144	1,001	4,157	13,961	48,337	67,607
	6	-	-	1	22	193	749	2,294	7,554	10,813
	7	-	-	-	9	38	103	311	1,021	1,482
TOTAL----		-	4	120	1,614	13,656	77,185	307,091	796,393	1,196,063
51	1-2	-	-	-	7	52	170	226	265	720
	3	-	-	1	116	1,702	8,527	21,972	30,537	62,855
	4	-	-	-	81	1,511	9,939	30,531	54,254	96,316
	5	-	-	-	16	256	1,766	5,605	12,822	20,465
	6	-	-	-	5	36	340	1,221	3,525	5,127
	7	-	-	1	-	15	74	383	728	1,201
TOTAL----		-	-	2	225	3,572	20,816	59,938	102,131	186,684
61	1-2	-	-	-	-	-	1	1	-	2
	3	-	-	2	8	46	38	44	93	231
	4	-	-	-	4	30	42	126	186	388
	5	-	-	-	-	6	17	140	213	376
	6	-	-	-	-	1	5	55	71	132
	7	-	-	-	-	-	3	7	31	41
TOTAL----		-	-	2	12	83	106	373	594	1,170
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	1	-	-	1
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	1	-	-	1
12 & 22	1-2	-	-	2	30	134	481	1,067	3,106	4,820
	3	-	1	8	135	594	1,147	1,851	5,468	9,204
	4	-	-	-	45	174	334	389	925	1,867
	5	-	-	-	3	11	28	53	103	198
	6	-	-	-	-	-	1	3	6	10
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	1	10	213	913	1,991	3,363	9,608	16,099
32	1-2	-	1	5	26	86	196	400	505	1,219
	3	-	17	72	305	1,108	2,554	4,855	7,126	16,037
	4	-	4	96	382	1,021	2,540	4,621	7,341	16,005
	5	-	1	9	85	296	778	1,054	1,774	3,997
	6	-	-	-	10	27	56	89	216	398
	7	-	-	1	4	2	3	15	22	47
TOTAL----		-	23	183	812	2,540	6,127	11,034	16,984	37,703
42	1-2	-	-	7	31	56	149	244	244	731
	3	-	2	31	159	738	2,750	6,295	9,341	19,316
	4	-	1	8	220	1,070	3,847	10,640	20,712	36,498
	5	-	-	2	152	729	2,109	4,028	6,916	13,936
	6	-	1	-	34	167	483	858	1,203	2,746
	7	-	-	2	21	74	129	209	272	707
TOTAL----		-	4	50	617	2,834	9,467	22,274	38,688	73,934
52	1-2	-	-	-	-	17	64	66	72	219
	3	-	-	-	6	257	1,297	2,667	3,624	7,851
	4	-	-	8	54	392	2,846	7,498	11,274	22,072
	5	-	2	6	44	175	1,352	3,424	5,261	10,264
	6	-	-	-	20	46	396	820	903	2,185
	7	-	-	-	16	31	157	303	388	895
TOTAL----		-	2	14	140	918	6,112	14,778	21,522	43,486

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 29, 2009

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	2	32	62	54	98	248
	4	-	-	-	1	56	239	540	463	1,299
	5	-	-	-	3	18	202	570	360	1,153
	6	-	-	-	1	9	94	221	126	451
	7	-	-	-	-	-	9	48	40	97
TOTAL----		-	-	-	7	115	606	1,433	1,087	3,248
13 & 23	1-2	-	-	1	1	5	33	142	896	1,078
	3	-	-	3	11	56	110	329	1,415	1,924
	4	-	-	-	5	23	31	67	231	357
	5	-	-	-	-	-	1	4	16	21
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	4	17	84	175	542	2,559	3,381
33	1-2	-	-	1	5	31	20	58	240	355
	3	-	3	11	41	62	145	499	1,275	2,036
	4	-	5	25	53	136	194	353	827	1,593
	5	-	-	5	25	69	110	116	261	586
	6	-	4	1	3	16	19	14	40	97
	7	-	-	-	-	1	2	3	-	6
TOTAL----		-	12	43	127	315	490	1,043	2,643	4,673
43	1-2	-	-	-	-	1	5	11	10	27
	3	-	1	3	4	33	164	422	643	1,270
	4	-	2	10	21	49	225	730	1,491	2,528
	5	-	1	1	23	38	216	366	485	1,130
	6	-	2	2	14	27	69	110	163	387
	7	-	-	1	1	10	26	35	49	122
TOTAL----		-	6	17	63	158	705	1,674	2,841	5,464
53	1-2	-	-	-	-	1	7	1	-	9
	3	-	-	2	2	10	115	225	289	643
	4	-	1	4	5	42	223	581	806	1,662
	5	-	-	2	6	19	90	343	329	789
	6	-	-	-	3	26	43	114	83	269
	7	-	-	-	1	14	14	25	39	93
TOTAL----		-	1	8	17	112	492	1,289	1,546	3,465
63	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	1	3	10	12	26
	4	-	-	-	-	5	66	297	230	598
	5	-	-	-	1	2	32	223	167	425
	6	-	-	-	-	10	16	70	45	141
	7	-	-	-	1	1	3	31	21	57
TOTAL----		-	-	-	2	19	120	631	475	1,247
24-54	1-7	-	-	15	19	19	102	367	783	1,305
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	1	3	13	41	49	107
All Colors	8 2/	-	-	2	20	31	174	496	688	1,411
TOTAL, ALL----		-	81	794	7,229	40,873	193,287	679,387	1,662,292	2,583,943

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 29, 2009

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	122,066	182,433	217,264	82,875	36,905	20,961	737,001
	3	148,286	256,767	456,835	219,192	61,060	13,007	1,260,943
	4	14,202	22,638	40,195	26,315	8,872	694	121,664
	5	591	1,067	1,418	763	251	14	4,421
	6	9	25	42	30	10	2	126
	7	-	2	3	1	-	-	7
TOTAL----		285,154	462,932	715,757	329,176	107,098	34,678	2,124,162
31	1-2	40,413	53,193	65,670	25,434	23,552	26,988	278,416
	3	530,582	574,002	598,350	217,792	61,822	31,726	2,583,742
	4	274,831	392,754	395,999	133,358	36,478	4,194	1,424,158
	5	27,576	47,713	55,776	20,620	5,582	477	172,437
	6	2,086	3,139	3,263	1,263	492	55	11,465
	7	125	177	193	55	26	1	674
TOTAL----		875,613	1,070,978	1,119,251	398,522	127,952	63,441	4,470,892
41	1-2	3,445	2,941	2,063	221	38	29	17,748
	3	392,603	232,450	95,006	12,896	1,961	617	1,354,034
	4	598,546	636,473	379,702	46,928	6,193	869	2,157,360
	5	116,627	206,713	193,023	32,178	4,728	419	621,295
	6	19,300	32,941	34,922	7,501	1,339	133	106,949
	7	2,239	3,480	3,482	1,075	311	56	12,125
TOTAL----		1,132,760	1,114,998	708,198	100,799	14,570	2,123	4,269,511
51	1-2	241	75	18	1	-	-	1,055
	3	20,634	7,525	2,126	210	29	2	93,381
	4	55,069	29,562	12,185	1,563	7	144	194,846
	5	18,806	16,476	11,615	2,166	404	50	69,982
	6	4,664	4,961	4,898	873	179	19	20,721
	7	913	1,349	1,462	317	63	15	5,320
TOTAL----		100,327	59,948	32,304	5,130	902	102	385,397
61	1-2	-	-	-	-	-	-	2
	3	66	82	31	-	-	-	410
	4	152	126	73	4	-	-	743
	5	205	87	52	18	5	-	743
	6	103	25	7	4	-	-	271
	7	26	14	5	-	-	-	86
TOTAL----		552	334	168	26	5	-	2,255
71	1-2	-	-	-	-	-	-	-
	3	-	2	1	-	-	-	4
	4	1	4	1	-	-	-	6
	5	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
TOTAL----		1	6	2	-	-	-	10
12 & 22	1-2	6,592	8,416	8,739	2,200	452	124	31,343
	3	15,517	26,290	39,352	16,565	3,634	411	110,973
	4	2,820	5,460	6,957	3,180	1,022	64	21,370
	5	268	508	491	190	54	1	1,710
	6	9	35	21	8	2	-	85
	7	1	1	2	-	-	-	4
TOTAL----		25,207	40,710	55,562	22,143	5,164	600	165,485
32	1-2	619	746	702	242	156	133	3,817
	3	10,457	13,642	19,284	8,275	2,143	1,245	71,083
	4	11,048	13,450	17,019	9,020	2,972	379	69,893
	5	2,905	3,878	4,430	2,482	1,050	67	18,809
	6	419	642	788	441	149	6	2,843
	7	44	70	54	22	6	-	243
TOTAL----		25,492	32,428	42,277	20,482	6,476	1,830	166,688
42	1-2	135	48	11	3	8	1	937
	3	7,635	3,568	1,214	113	102	98	32,046
	4	21,739	13,904	6,012	657	229	221	79,260
	5	8,612	7,919	5,346	785	211	68	36,877
	6	1,637	1,931	1,670	272	75	21	8,352
	7	381	532	420	79	13	-	2,132
TOTAL----		40,139	27,902	14,673	1,909	638	409	159,604
52	1-2	16	9	1	-	-	-	245
	3	1,819	846	240	16	2	1	10,775
	4	8,387	3,864	1,441	87	9	3	35,863
	5	4,514	2,805	1,378	150	19	5	19,135
	6	862	586	291	44	11	-	3,979
	7	270	211	138	19	11	-	1,544
TOTAL----		15,868	8,321	3,489	316	52	9	71,541

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 29, 2009

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	1	1	1	-	-	-	3
	3	124	211	63	-	-	-	398
	4	280	180	64	1	-	-	525
	5	173	89	76	5	-	-	343
	6	65	45	7	1	-	-	118
	7	25	9	-	-	-	-	34
TOTAL----		668	535	211	7	-	-	1,421
13 & 23	1-2	1,956	1,503	1,028	235	25	2	4,749
	3	3,790	4,680	4,351	1,340	197	4	14,362
	4	904	1,442	1,236	191	50	1	3,824
	5	81	130	94	13	-	-	318
	6	4	8	4	-	-	-	16
	7	-	-	-	-	-	-	-
TOTAL----		6,735	7,763	6,713	1,779	272	7	23,269
33	1-2	432	509	619	134	23	6	1,723
	3	2,995	4,844	7,461	2,082	352	64	17,798
	4	1,736	2,589	3,883	1,520	521	38	10,287
	5	514	673	774	318	131	15	2,425
	6	76	91	81	23	13	1	285
	7	5	8	3	-	-	-	16
TOTAL----		5,758	8,714	12,821	4,077	1,040	124	32,534
43	1-2	12	8	4	2	1	-	27
	3	671	493	331	92	39	28	1,654
	4	1,536	1,245	966	258	117	41	4,163
	5	591	574	471	155	52	10	1,853
	6	196	243	199	50	14	-	702
	7	57	56	74	24	6	2	219
TOTAL----		3,063	2,619	2,045	581	229	81	8,618
53	1-2	4	6	-	-	-	-	10
	3	251	211	91	27	5	3	588
	4	712	548	172	10	2	-	1,444
	5	435	299	98	12	-	-	844
	6	102	82	55	-	-	-	239
	7	51	74	65	1	-	-	191
TOTAL----		1,555	1,220	481	50	7	3	3,316
63	1-2	-	1	1	-	-	-	2
	3	24	80	11	-	-	-	115
	4	60	30	8	-	-	-	98
	5	49	26	6	3	-	-	84
	6	18	24	4	-	-	-	46
	7	4	2	-	-	-	-	6
TOTAL----		155	163	30	3	-	-	351
24-54	1-7	1,249	1,302	1,021	156	20	25	3,773
25-35	1-7	2	-	-	-	-	-	2
81-85 1/	1-7	91	96	34	20	11	3	255
All Colors	8 2/	646	1,257	1,249	223	92	19	3,486
TOTAL, ALL-----		2,521,035	2,842,226	2,716,286	885,399	264,528	103,454	9,332,928
EXTRANEEOUS MATTER		Average Staple -----						
		Percent Tenderable -----						
Bark - Level 1		2,092,251						
Bark - Level 2		158						
Grass - Level 1		50,996						
Grass - Level 2		1,129						
Prep - Level 1		20,943						
Prep - Level 2		49						
Other - Level 1		10,681						
Other - Level 2		30						

11,916,871 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States** : Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	0.1	0.4	1.0	1.5	1.8	0.7	0.3	0.2	6.2
	3	-	*	*	*	*	0.1	0.2	0.6	1.2	2.2	3.8	1.8	0.5	0.1	10.6
	4	-	-	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	1.0
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.4	1.1	2.4	3.9	6.0	2.8	0.9	0.3	17.8
31	1-2	-	*	*	*	*	*	0.1	0.2	0.3	0.4	0.6	0.2	0.2	0.2	2.3
	3	-	*	*	*	0.1	0.3	1.3	3.1	4.5	4.8	5.0	1.8	0.5	0.3	21.7
	4	-	*	*	*	*	0.1	0.3	1.1	2.3	3.3	3.3	1.1	0.3	*	12.0
	5	-	-	*	*	*	*	*	0.1	0.2	0.4	0.5	0.2	*	*	1.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	0.1	0.5	1.7	4.5	7.3	9.0	9.4	3.3	1.1	0.5	37.5
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	0.1	0.4	1.5	3.3	3.3	2.0	0.8	0.1	*	*	11.4
	4	-	*	*	*	*	0.2	0.9	2.9	5.0	5.3	3.2	0.4	*	*	18.1
	5	-	-	*	*	*	*	0.1	0.4	1.0	1.7	1.6	0.3	*	*	5.2
	6	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	0.9
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	*	*	*	0.1	0.6	2.6	6.7	9.5	9.4	5.9	0.8	0.1	*	35.8
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	0.8
	4	-	-	-	*	*	0.1	0.3	0.5	0.5	0.2	0.1	*	*	*	1.6
	5	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.2	0.5	0.9	0.8	0.5	0.3	*	*	*	3.2
61	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	*	*	*	-	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	3	-	*	*	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	0.9
	4	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	0.1	0.2	0.3	0.5	0.2	*	*	1.4
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.6
	4	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	*	0.1	0.1	0.2	0.3	0.4	0.2	*	*	1.4
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	*	0.6

* Less than 0.05 percent.

Table 2. -- **United States** : Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		-	*	*	0.1	0.3	1.6	5.7	13.9	21.2	23.9	22.8	7.4	2.2	0.9	100.0
EXTRANEIOUS MATTER		Average Staple														35.7
		Percent Tenderable														63.6
Bark - Level 1	17.6															
Bark - Level 2	*															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

11,916,871 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.3	0.7	1.0	0.6	0.2	*	*	*	-	2.8
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.3	0.9	1.2	0.7	0.2	*	*	*	-	3.4
31	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	*	*	0.2	1.6	6.1	10.6	6.9	2.3	0.6	*	*	-	28.5
	4	-	-	-	*	0.1	0.4	1.8	4.3	4.8	2.6	0.9	0.1	*	-	15.1
	5	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	*	1.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	0.3	2.1	8.1	15.3	12.2	5.2	1.7	0.2	*	*	45.3
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	0.2	1.2	4.4	6.1	3.5	1.0	0.3	*	*	*	16.7
	4	-	-	-	*	0.1	0.8	3.3	6.2	6.1	3.0	1.2	0.2	*	*	21.0
	5	-	-	-	*	*	*	0.1	0.4	1.3	1.7	1.1	0.6	0.1	*	5.4
	6	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	*	*	0.3	2.2	8.3	13.8	11.7	5.4	2.2	0.4	*	*	44.4
51	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	*	-	-	0.8
	4	-	-	-	*	*	0.1	0.4	0.6	0.5	0.2	0.1	*	-	*	1.9
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	-	*	0.1	0.3	0.8	1.1	0.9	0.4	0.2	*	*	*	3.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	-	-	*	*	*	-	-	0.2
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	-	0.7
42	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	-	0.9
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	-	1.6
52	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4

* Less than 0.05 percent.

Table 3. -- **Alabama** : Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	0.1	0.8	5.1	18.6	32.4	26.4	11.7	4.3	0.6	*	*	100.0
EXTRANEQUS MATTER		Average Staple														34.3
		Percent Tenderable														69.3
Bark - Level 1	3.3															
Bark - Level 2	-															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

449,463 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	-	*	0.3	2.5	9.4	12.9	11.0	4.0	1.3	0.1	41.5
	3	-	-	-	-	*	*	0.1	0.8	3.0	5.5	6.0	2.4	0.9	0.1	18.8
	4	-	-	-	-	-	-	*	*	0.2	0.4	0.4	0.1	0.1	*	1.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	*	0.5	3.3	12.7	18.8	17.4	6.5	2.2	0.3	61.6
31	1-2	-	-	-	-	-	*	*	0.3	1.1	1.9	2.7	1.3	0.4	*	7.8
	3	-	-	-	-	-	*	0.1	0.7	2.1	3.7	5.0	2.3	0.9	0.1	15.0
	4	-	-	-	-	-	-	*	0.2	0.9	1.5	1.5	0.5	0.2	*	4.9
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	0.2	1.3	4.2	7.3	9.5	4.3	1.6	0.2	28.7
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	0.1	0.1	0.2	0.3	0.3	0.1	*	*	1.1
	4	-	-	-	-	-	*	*	0.1	0.4	0.7	0.8	0.2	*	*	2.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.3	0.4	0.1	*	*	1.1
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	7	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
TOTAL----		-	-	-	-	-	*	0.1	0.4	0.9	1.5	1.7	0.5	0.2	*	5.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	*	0.9
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.5	0.6	0.2	*	*	*	1.4
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.2	0.4	0.4	0.2	*	*	*	1.3
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.8
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
TOTAL, ALL-----		-	-	*	*	*	*	0.9	5.4	19.1	29.1	29.5	11.5	4.0	0.6	100.0
EXTRANEEOUS MATTER		Average Staple														36.3
		Percent Tenderable														73.7
Bark - Level 1	3.9															
Bark - Level 2	"															
Grass - Level 1	0.2															
Grass - Level 2	"															
Prep - Level 1	"															
Prep - Level 2	-															
Other - Level 1	0.6															
Other - Level 1	-															

364,996 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. — **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.1	*	*	-	0.8
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.5	0.2	*	*	-	1.0
31	1-2	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	0.8	3.7	7.6	3.8	0.3	*	*	16.3
	4	-	-	-	-	*	*	*	0.3	2.4	7.8	6.5	0.6	*	*	17.7
	5	-	-	-	-	-	*	*	*	0.2	0.7	0.8	0.2	*	*	1.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	1.2	6.5	16.1	11.2	1.0	0.1	*	36.2
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.7	2.9	5.4	2.4	0.2	*	*	11.8
	4	-	-	-	-	*	*	0.1	0.8	6.0	16.6	10.8	0.9	0.1	*	35.4
	5	-	-	-	-	*	*	*	0.1	0.9	4.9	4.8	0.4	*	*	11.2
	6	-	-	-	-	-	*	*	*	0.1	0.5	0.7	0.1	*	*	1.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	-	*	*	0.2	1.6	10.0	27.5	18.8	1.7	0.2	*	59.9
51	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.1	*	*	1.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.4
42	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.3	0.4	0.3	*	*	-	1.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	-	*	*	*	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 5. — **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL, ALL		-	-	-	-	*	*	0.4	3.1	17.3	45.1	30.9	2.8	0.2	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		*														

1,237,323 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 ■ 21	1-2	-	-	-	-	-	*	0.1	0.7	2.1	4.6	8.4	7.3	7.0	5.6	35.8
	3	-	-	-	-	-	*	0.1	0.5	1.3	2.2	2.0	2.5	2.7	11.2	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.7	2.6	5.9	10.6	9.3	9.6	8.3	47.1
31	1-2	-	-	-	-	-	*	0.2	0.6	1.4	4.2	3.3	5.8	7.4	23.0	
	3	-	-	-	-	-	*	0.1	0.6	1.6	4.5	2.8	4.0	7.9	21.5	
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.1	0.2	0.4	1.2	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	0.3	1.2	3.2	9.0	6.2	10.0	15.8	45.7	
41	1-2	-	-	-	-	-	*	0.1	0.2	0.4	0.4	*	*	*	*	1.1
	3	-	-	-	-	-	*	0.2	0.9	1.4	0.3	0.2	0.2	0.1	0.2	3.2
	4	-	-	-	-	-	-	*	0.1	0.3	0.2	0.1	0.1	*	*	0.9
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	0.1	0.4	1.4	2.1	0.8	0.3	0.3	0.3	5.5
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	0.1	*	*	*	*	*	*	*	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	0.2
	4	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.3
32	1-2	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	0.1	0.3	0.6
	4	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.1	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.4	0.8	
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	0.1	*	0.1	0.1	0.1	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL-----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*		
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL-----		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
33	1-2	-	-	-	-	-	-	-	-	*	-	-	*	*	*	*		
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL-----		-	-	-	-	-	-	-	-	*	-	*	*	*	*	0.1		
43	1-2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
TOTAL-----		-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*		
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL-----		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL-----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	-	-	*	0.2	1.2	4.3	10.6	21.9	16.5	20.2	25.1	100.0		
EXTRANEEOUS MATTER																Average Staple	38.2	
																Percent Tenderable	95.3	
Bark - Level 1		0.3																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		0.1																
Other - Level 1		*																

362,628 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. — *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	0.2	0.4	0.7	0.3	-	-	-	-	1.7
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	0.5	0.9	0.4	*	*	*	*	2.0
31	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.1	1.7	9.0	13.5	4.1	0.7	0.1	*	*	29.2
	4	-	-	-	-	-	*	0.2	1.8	5.0	3.5	1.0	0.4	0.1	*	12.1
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.2	2.0	10.9	18.7	7.8	1.8	0.5	0.2	*	42.1
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	0.2	2.2	8.5	9.1	2.4	0.6	0.1	*	-	23.0
	4	-	-	-	-	*	0.1	1.0	6.1	10.7	5.6	2.0	0.4	*	*	26.0
	5	-	-	-	-	-	*	*	0.2	0.8	1.1	0.8	0.2	*	*	3.2
	6	-	-	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	1.0
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	-	*	*	0.3	3.2	14.8	20.8	9.6	3.8	0.7	0.1	*	53.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	-	-	1.0
	5	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	*	-	-	0.6
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.4	0.6	0.6	0.4	*	*	-	2.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	-	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 7. -- **Florida** : Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	*	*	0.5	5.6	26.8	41.1	18.4	6.0	1.2	0.3	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		1.8														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

104,891 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 ■ 21	1-2	-	-	-	-	■	■	■	■	■	■	■	■	-	-	0.1
	3	-	-	-	-	■	■	0.1	0.2	0.2	■	■	■	-	-	0.5
	4	-	-	-	-	■	■	■	■	■	■	■	■	-	-	■
	5	-	-	-	-	-	-	-	■	■	■	■	■	-	-	■
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	■	■	0.1	0.2	0.2	0.1	■	■	-	-	0.6
31	1-2	-	-	-	■	■	0.1	0.2	0.2	0.1	■	■	■	-	-	0.5
	3	-	-	-	■	0.1	0.6	2.6	5.9	5.4	1.7	0.2	■	■	■	16.6
	4	-	-	-	■	■	■	0.2	0.9	1.7	1.1	0.3	■	■	■	4.2
	5	-	-	-	-	■	■	■	■	■	■	■	■	■	■	0.1
	■	-	-	-	-	-	-	-	■	■	■	■	■	-	-	■
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.7	3.0	7.0	7.2	2.9	0.5	■	■	■	21.4
41	1-2	-	-	-	■	■	■	■	0.1	■	■	■	-	-	-	0.2
	3	-	-	■	■	0.1	1.2	5.5	13.8	11.6	3.1	0.4	■	■	■	35.8
	4	-	-	■	■	■	0.4	2.3	8.1	11.3	5.3	1.2	0.1	■	■	28.9
	5	-	-	-	■	■	■	0.1	0.2	0.5	0.5	0.3	0.1	■	■	1.6
	6	-	-	-	-	-	■	■	■	■	■	■	■	■	■	0.1
	7	-	-	-	-	-	-	■	-	■	■	■	■	-	-	■
	TOTAL----	-	-	■	■	0.2	1.7	7.9	22.2	23.4	8.9	1.9	0.2	■	■	66.5
51	1-2	-	-	-	-	■	■	■	■	■	■	-	-	-	-	■
	3	-	-	-	■	■	0.2	0.8	1.1	0.7	0.2	■	■	■	■	3.1
	4	-	-	-	■	■	0.3	1.0	1.8	1.7	0.7	0.2	■	-	■	5.7
	5	-	-	-	■	■	■	0.1	0.2	0.3	0.2	0.1	■	■	-	1.0
	6	-	-	-	-	■	■	■	■	■	■	■	■	■	■	0.1
	7	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
	TOTAL----	-	-	-	■	■	0.5	1.8	3.1	2.7	1.2	0.4	■	■	■	9.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	■	■	■	■	■	■	-	-	-	-	■
	4	-	-	-	-	■	■	■	■	■	■	■	-	-	-	■
	5	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
	6	-	-	-	-	-	■	■	■	■	■	-	■	-	-	■
	7	-	-	-	-	-	■	■	■	-	-	-	-	-	-	■
	TOTAL----	-	-	-	-	■	■	■	■	■	■	■	■	-	-	■
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	■	-	-	-	-	-	-	-	-	■
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	■	■	■	■	■	-	-	-	■
	4	-	-	-	-	-	-	■	■	■	-	-	-	-	-	■
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	■	■	■	■	■	-	-	-	■
32	1-2	-	-	-	-	■	■	■	■	■	■	-	-	-	-	■
	3	-	-	-	-	■	■	■	■	■	■	■	-	-	-	0.1
	4	-	-	-	-	■	■	■	■	■	■	■	■	■	-	■
	5	-	-	-	-	■	■	■	■	■	■	■	■	■	-	■
	6	-	-	-	-	-	-	-	■	■	■	-	-	-	-	■
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	■	■	■	■	■	■	■	■	■	-	0.1
42	1-2	-	-	-	-	■	■	■	0.1	0.1	-	■	■	■	-	■
	3	-	-	-	-	■	■	■	0.1	0.1	■	■	■	■	-	0.2
	4	-	-	-	-	■	■	■	0.1	0.1	0.1	■	■	■	■	0.5
	5	-	-	-	-	■	■	■	■	■	■	■	■	■	■	0.1
	6	-	-	-	-	-	■	■	■	■	■	■	■	■	-	■
	7	-	-	-	-	-	-	-	■	■	■	■	■	-	-	■
	TOTAL----	-	-	-	-	■	0.1	0.1	0.2	0.2	0.1	0.1	■	■	■	0.8
52	1-2	-	-	-	-	-	-	■	-	-	-	■	-	-	-	■
	3	-	-	-	-	■	■	■	■	■	■	■	-	■	-	■
	4	-	-	-	-	■	■	■	0.1	■	■	■	■	■	-	0.2
	5	-	-	-	-	■	■	■	■	■	■	■	■	■	■	0.1
	6	-	-	-	-	-	■	■	■	■	■	■	■	■	-	■
	7	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
	TOTAL----	-	-	-	-	■	0.1	0.1	0.1	■	■	■	■	■	■	0.4

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER		Average Staple														34.5
		Percent Tenderable														83.8
Bark - Level 1	2.2															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,566,723 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- **Kansas** : Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 ■ 21	1-2	-	-	-	-	-	*	*	0.2	0.4	0.5	0.2	-	-	-	1.4
	3	-	-	-	-	-	*	0.2	0.8	2.0	3.1	1.2	*	*	-	7.4
	4	-	-	-	-	-	-	-	0.2	0.6	1.0	0.6	-	-	-	2.4
	5	-	-	-	-	-	-	-	0.1	0.1	0.1	0.2	-	-	-	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.3	1.3	3.0	4.8	2.1	*	*	-	11.6
31	1-2	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	0.6
	3	-	-	-	-	-	-	*	0.6	2.9	4.7	2.1	0.2	*	-	10.6
	4	-	-	-	-	-	-	*	0.5	4.3	5.2	3.1	0.1	-	-	13.4
	5	-	-	-	-	-	-	-	0.5	3.5	3.8	1.2	*	-	-	9.1
	6	-	-	-	-	-	-	-	0.3	1.0	0.9	0.2	-	-	-	2.4
	7	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.2
	TOTAL----	-	-	-	-	-	-	0.1	2.1	12.1	14.9	6.7	0.4	*	-	36.3
41	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	-	-	*	0.2	0.4	0.2	0.1	-	-	0.9
	4	-	-	-	-	-	-	*	0.1	0.5	0.7	0.4	0.1	-	*	1.8
	5	-	-	-	-	-	-	*	0.2	1.7	2.5	0.8	0.1	*	-	5.5
	6	-	-	-	-	-	-	*	0.3	2.0	3.8	1.0	0.1	*	-	7.1
	7	-	-	-	-	-	-	0.1	0.1	0.7	2.0	0.4	*	-	-	3.3
	TOTAL----	-	-	-	-	*	-	0.1	0.8	5.0	9.4	2.8	0.4	*	*	18.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	0.2	0.3	*	-	-	-	0.6
	3	-	-	-	-	-	*	*	0.4	1.0	1.1	0.2	*	-	-	2.8
	4	-	-	-	-	-	-	-	0.1	0.4	0.2	0.1	*	-	-	0.8
	5	-	-	-	-	-	-	*	*	0.1	*	0.1	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.6	1.7	1.7	0.5	*	-	-	4.4
32	1-2	-	-	-	-	-	-	-	*	0.2	0.1	0.1	*	-	-	0.5
	3	-	-	-	-	-	-	*	0.2	1.3	2.6	1.1	0.1	*	-	5.4
	4	-	-	-	-	-	*	*	0.1	0.8	1.6	0.8	*	-	-	3.4
	5	-	-	-	-	-	-	*	0.1	0.4	0.4	0.3	*	*	-	1.1
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.5	2.8	4.8	2.4	0.1	*	-	10.7
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	-	-	-	0.3
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	0.6
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	0.1	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	TOTAL----	-	-	-	-	-	-	-	*	0.4	0.6	0.4	*	-	-	1.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*

* Less than 0.05 percent.

Table 9. — **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	0.3
	3	-	-	-	-	-	*	0.1	0.3	0.6	0.3	*	*	-	-	1.4
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	0.5	0.8	0.4	0.1	*	-	-	2.0
33	1-2	-	-	-	-	-	-	*	*	0.4	0.3	*	-	-	-	0.8
	3	-	-	-	-	-	*	0.3	0.5	1.9	2.3	0.5	0.1	*	-	5.7
	4	-	-	-	-	-	*	*	0.2	0.4	0.7	0.3	*	*	-	1.7
	5	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.4	0.9	3.0	3.6	0.9	0.1	*	-	8.9
43	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.3	0.1	-	-	0.7
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.2	-	-	0.9
	5	-	-	-	-	-	-	-	*	*	0.3	0.2	-	-	-	0.5
	6	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
TOTAL----		-	-	-	-	-	-	*	0.1	0.4	0.8	0.9	0.3	-	-	2.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	0.3	0.9	0.6	0.6	0.4	*	-	-	2.8
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	0.3	0.1	*	0.2	0.1	-	-	-	0.7
TOTAL, ALL-----		-	-	-	-	*	0.1	1.7	7.8	29.8	41.8	17.3	1.4	0.1	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		52.4														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

30,172 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.3
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	0.4
31	1-2	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.4
	3	-	-	-	-	0.1	0.3	0.9	2.2	3.1	2.0	0.8	-	-	-	9.4
	4	-	-	-	-	-	-	0.1	0.5	1.0	1.3	0.9	0.1	-	-	3.9
	5	-	-	-	-	-	-	-	-	-	0.1	0.2	-	-	-	0.4
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.3	1.1	2.8	4.2	3.4	2.0	0.2	-	-	14.1
41	1-2	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	-	0.3
	3	-	-	-	-	0.3	1.8	5.5	6.8	5.3	2.8	0.7	-	-	-	23.3
	4	-	-	-	-	-	0.8	2.8	5.0	7.0	5.8	2.7	0.1	-	-	24.3
	5	-	-	-	-	-	-	0.1	0.2	0.7	1.0	1.0	0.2	-	-	3.2
	6	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	0.4
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.4	2.7	8.5	12.1	13.0	9.8	4.6	0.4	-	-	51.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	0.2	0.9	1.7	1.7	0.8	0.2	-	-	-	-	5.6
	4	-	-	-	-	0.1	1.1	2.6	2.9	2.3	0.9	0.3	-	-	-	10.4
	5	-	-	-	-	-	0.2	0.3	0.4	0.4	0.3	0.2	-	-	-	1.8
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.3	2.2	4.6	5.0	3.7	1.5	0.5	-	-	-	17.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.3	0.4	0.2	0.1	-	-	-	-	1.0
	4	-	-	-	-	-	0.1	0.5	1.0	0.6	0.2	-	-	-	-	2.6
	5	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.2	0.9	1.6	1.0	0.3	0.1	-	-	-	4.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	0.1	0.3	0.5	0.7	0.2	0.1	-	-	-	-	1.9
	4	-	-	-	-	0.1	0.6	1.6	2.2	1.2	0.3	0.1	-	-	-	6.0
	5	-	-	-	-	-	0.1	0.5	0.7	0.4	0.1	-	-	-	-	1.9
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	1.0	2.7	3.6	1.9	0.6	0.1	-	-	-	10.0

* Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
	5	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	-	0.7
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	5	-	-	-	-	-	*	0.1	*	*	-	-	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	0.1	*	*	-	*	-	-	0.3
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL, ALL-----		-	-	-	*	1.0	6.6	18.6	26.0	24.1	15.7	7.4	0.6	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.5														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		-														

279,652 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	0.6
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	0.8
31	1-2	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	3	-	-	-	-	-	0.1	1.0	3.1	4.2	3.7	2.4	0.3	-	-	14.7
	4	-	-	-	-	-	-	0.3	1.2	3.0	4.8	6.2	1.1	0.1	-	16.6
	5	-	-	-	-	-	-	-	0.1	0.2	0.5	0.9	0.3	-	-	2.0
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.1	1.3	4.5	7.5	9.0	9.4	1.6	0.2	-	33.6
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.2	0.8	1.9	2.6	2.1	1.1	0.1	-	-	8.9
	4	-	-	-	-	-	0.1	0.7	2.6	6.5	10.5	10.7	1.5	0.2	-	32.8
	5	-	-	-	-	-	-	0.1	0.6	1.9	4.4	6.8	1.5	0.2	-	15.6
	6	-	-	-	-	-	-	-	0.1	0.2	0.6	1.1	0.3	0.1	-	2.4
	7	-	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	0.3
	TOTAL----	-	-	-	-	-	0.4	1.7	5.2	11.4	17.7	19.8	3.4	0.4	-	60.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.1	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	0.1	0.2	0.2	-	-	-	0.7
	6	-	-	-	-	-	-	-	-	-	0.1	0.2	-	-	-	0.4
	7	-	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	0.2
	TOTAL----	-	-	-	-	-	-	0.1	0.3	0.5	0.6	0.6	0.1	-	-	2.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	-	-	-	0.8
	5	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	TOTAL----	-	-	-	-	-	-	0.2	0.3	0.4	0.4	0.3	-	-	-	1.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.1	-	-	-	0.7

* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
TOTAL, ALL-----		-	-	*	*	*	0.7	3.5	10.7	20.3	28.3	30.6	5.2	0.6	0.1	100.0
EXTRANEEOUS MATTER		Average Staple														35.9
Bark - Level 1		0.7														
Bark - Level 2		*														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		1.5														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

856,534 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	0.1	0.7	4.5	19.7	45.6	27.5	1.8	0.2	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.2														Average Staple 36.0
Bark - Level 2		-														Percent Tenderable 80.2
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.4														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

698,575 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.1	1.4	9.4	26.1	10.9	3.2	0.1	51.2
	3	-	-	-	-	-	-	-	*	0.2	1.5	7.4	4.8	3.0	0.5	17.4
	4	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	0.1	0.5
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	1.7	11.0	33.7	15.8	6.2	0.7	69.1
31	1-2	-	-	-	-	-	-	*	*	0.2	1.0	5.0	2.9	0.5	*	9.7
	3	-	-	-	-	-	-	-	*	0.2	1.6	6.2	4.6	1.6	0.3	14.4
	4	-	-	-	-	-	-	-	*	0.1	0.7	1.2	1.0	0.3	0.3	3.6
	5	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.5	3.4	12.5	8.6	2.4	0.7	28.1
41	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.2
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	0.2	0.3	0.2	*	*	0.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	0.1	0.2	*	*	-	0.4
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.1	-	0.3
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	0.3	0.3	*	0.1	-	0.8
32	1-2	-	-	-	-	-	-	-	-	-	*	-	-	*	*	*
	3	-	-	-	-	-	-	-	-	0.1	0.1	*	0.1	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	0.1	0.1	*	0.1	*	*	0.5
42	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	*	-	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	0.6
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	0.1	0.1	-	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	0.1	0.4	2.7	15.2	46.9	24.6	8.8	1.4	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.6															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

43,351 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.2	*	*	*	*	-	0.4
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	*	0.5	2.1	4.9	4.9	2.0	0.6	*	*	*	15.1
	4	-	-	-	*	*	0.1	0.8	2.9	4.2	2.3	0.8	*	*	*	11.2
	5	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	*	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	*	0.1	0.6	3.0	8.0	9.5	4.6	1.6	0.1	*	*	27.4
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	0.1	0.5	2.0	4.1	3.7	1.4	0.5	*	*	*	12.4
	4	-	-	-	*	*	0.5	3.2	9.1	12.2	6.5	2.8	0.3	*	*	34.7
	5	-	-	-	*	*	0.1	0.6	2.1	3.9	3.1	1.5	0.2	*	*	11.5
	6	-	-	-	-	*	*	0.1	0.3	0.8	0.8	0.4	0.1	*	*	2.5
TOTAL----		-	-	-	*	0.1	1.1	5.8	15.7	20.7	11.8	5.2	0.6	0.1	*	61.3
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	-	*	*	0.1	0.3	0.8	0.9	0.4	0.1	*	*	*	2.7
	5	-	-	-	*	*	0.1	0.2	0.6	0.7	0.4	0.2	*	*	*	2.3
	6	-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	1.0
TOTAL----		-	-	-	*	*	0.2	0.8	1.9	2.0	1.0	0.5	0.1	*	*	6.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5
	4	-	-	-	-	*	*	0.2	0.5	0.5	0.2	*	*	*	*	1.5
	5	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
TOTAL----		-	-	-	-	*	*	0.1	0.4	0.8	0.9	0.4	0.1	*	*	2.8
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3

* Less than 0.05 percent.

Table 14. — **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
43	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL, ALL-----		-	-	-	*	0.2	2.1	10.2	26.9	33.7	18.3	7.6	0.8	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														Average Staple 34.8
Bark - Level 2		-														Percent Tenderable 76.8
Grass - Level 1		1.0														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 2		-														

735,590 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.2	0.9	2.2	2.6	1.8	0.4	-	-	8.1
	3	-	-	-	-	-	0.1	0.3	1.1	2.7	3.8	3.5	0.8	0.2	-	12.6
	4	-	-	-	-	-	-	-	0.1	0.2	0.3	0.2	0.1	-	-	1.0
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.5	2.2	5.1	6.7	5.5	1.3	0.2	-	21.7
31	1-2	-	-	-	-	-	-	0.2	1.1	2.5	2.7	1.6	0.4	-	-	8.6
	3	-	-	-	-	-	0.2	0.9	3.6	9.3	12.8	13.2	4.3	0.7	-	45.2
	4	-	-	-	-	-	0.1	0.3	0.9	2.1	3.3	3.6	1.2	0.3	-	11.9
	5	-	-	-	-	-	-	-	0.1	0.4	0.6	0.4	0.1	-	-	1.8
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.1	0.4	1.4	5.8	14.3	19.5	18.9	6.1	1.1	0.1	67.7
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	0.2	0.7	0.9	0.8	0.4	0.1	-	3.2
	4	-	-	-	-	-	-	-	0.2	0.5	0.8	1.0	0.4	0.1	-	3.2
	5	-	-	-	-	-	-	-	0.1	0.2	0.3	0.3	0.1	-	-	1.2
	6	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
TOTAL----		-	-	-	-	-	0.1	0.2	0.7	1.6	2.2	2.3	1.0	0.2	-	8.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
TOTAL----		-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	0.4
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	0.6
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.4
	4	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	0.8
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
33	1-2	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	0.1	0.1	*	*	-	-	0.3
43	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	-	*	*	0.1	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	*	*	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	2/	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL, ALL-----		-	*	*	0.1	0.2	0.7	2.3	9.0	21.6	29.0	27.0	8.4	1.6	0.1	100.0
EXTRANEEOUS MATTER																
																Average Staple 36.0
																Percent Tenderable 75.2
Bark - Level 1	14.4															
Bark - Level 2	*															
Grass - Level 1	*															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

252,004 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	-	0.6
31	1-2	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	*	0.1	0.1	0.6	3.2	6.3	3.5	1.2	0.1	*	-	15.1
	4	-	-	-	-	*	*	0.2	0.9	3.0	2.6	1.4	0.1	*	-	8.2
	5	-	-	-	-	-	-	*	0.1	0.2	0.2	0.2	*	*	-	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.2	0.8	4.2	9.5	6.4	2.8	0.2	*	-	24.2
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	0.1	0.3	1.6	6.0	7.6	3.1	1.1	0.1	*	-	19.9
	4	-	-	-	*	*	0.2	1.5	6.6	12.9	9.1	4.3	0.4	*	-	35.1
	5	-	-	-	-	*	*	0.2	0.9	1.9	2.3	1.6	0.3	*	-	7.3
	6	-	-	-	-	-	-	*	0.1	0.4	0.5	0.3	*	*	-	1.4
	7	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
	TOTAL----	-	-	-	*	0.1	0.5	3.4	13.7	22.8	15.1	7.4	0.8	0.1	-	63.8
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.3	0.9	1.6	1.0	0.3	*	-	-	4.2
	5	-	-	-	-	-	*	*	0.2	0.6	0.5	0.3	*	*	*	1.7
	6	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	7	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	TOTAL----	-	-	-	-	*	*	0.5	1.5	2.6	1.8	0.7	0.1	*	*	7.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	*	*	*	0.1	0.3	0.5	0.4	0.1	*	*	-	1.4
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	*	0.2	0.4	0.8	0.6	0.3	*	*	-	2.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	-	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	*	0.8

* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EXTRANEEOUS MATTER																	
Bark - Level 1		0.4															
Bark - Level 2		-															
Grass - Level 1		0.6															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

230,877 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	1.0
	3	-	-	-	-	*	0.1	0.7	2.1	2.3	0.7	0.1	*	-	-	5.9
	4	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	1.0
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.9	2.7	3.0	1.0	0.1	*	-	-	7.8
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	-	*	0.4	2.4	7.2	8.2	3.0	0.6	*	*	-	21.8
	4	-	-	-	-	*	0.1	0.9	3.9	7.9	5.6	1.5	0.1	*	-	20.2
	5	-	-	-	-	-	*	*	0.3	1.0	1.1	0.4	*	*	-	3.0
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.6	3.6	11.9	17.4	9.9	2.5	0.2	*	-	46.1
41	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.6	2.4	2.7	0.9	0.2	*	*	-	6.8
	4	-	-	-	-	*	0.1	0.7	3.6	8.2	6.1	2.2	0.1	*	-	21.2
	5	-	-	-	-	*	*	0.1	0.8	2.9	4.1	2.5	0.2	*	*	10.6
	6	-	-	-	-	-	*	*	0.1	0.4	0.8	0.6	0.1	*	*	2.0
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	TOTAL----	-	-	-	-	*	0.2	1.5	6.9	14.2	11.9	5.6	0.5	*	*	40.7
51	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.8	0.6	0.2	*	*	-	2.0
42	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.4	0.4	0.2	0.1	*	-	-	1.3
	5	-	-	-	-	-	*	*	0.2	0.2	0.3	0.1	*	*	-	0.8
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.6	0.8	0.6	0.2	*	*	-	2.5
52	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*

* Less than 0.05 percent.

Table 17. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	-	-	*	1.0	6.3	22.7	36.4	24.1	8.7	0.7	*	*	100.0
EXTRANEIOUS MATTER		Average Staple														35.1
		Percent Tenderable														74.1
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		*														

520,955 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.3	0.8	1.7	2.5	3.0	0.8	0.1	*	9.4
	3	-	*	*	*	*	0.1	0.4	1.0	2.4	4.8	9.6	4.6	1.1	0.1	24.2
	4	-	-	*	*	*	*	*	0.1	0.2	0.4	0.9	0.6	0.2	*	2.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	0.1	0.2	0.7	1.9	4.3	7.7	13.5	6.1	1.4	0.1	36.0
31	1-2	-	*	*	*	*	0.1	0.1	0.3	0.5	0.7	0.8	0.1	*	*	2.6
	3	-	*	*	*	0.1	0.3	0.9	1.7	3.5	5.8	9.7	4.2	0.9	*	27.2
	4	-	*	*	*	*	0.1	0.3	0.6	1.3	2.3	4.4	2.6	0.8	*	12.5
	5	-	-	*	*	*	*	*	0.1	0.2	0.3	0.6	0.4	0.1	*	1.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	0.2	0.6	1.4	2.8	5.4	9.1	15.5	7.2	1.8	0.1	44.2
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	*	*	*	0.1	0.2	0.4	0.7	0.7	0.6	0.4	0.1	*	*	3.2
	4	-	*	*	*	*	0.1	0.3	0.5	0.7	0.8	0.9	0.3	*	*	3.6
	5	-	-	*	*	*	0.1	0.1	0.1	0.2	0.3	0.4	0.2	*	*	1.4
	6	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	0.2	0.4	0.8	1.4	1.7	1.7	1.7	0.6	0.1	*	8.6
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.2	0.3	0.3	0.2	*	*	*	1.3
61	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.7
	3	-	*	*	*	*	*	*	0.1	0.3	0.6	0.9	0.4	0.1	*	2.4
	4	-	-	-	*	*	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	*	*	0.1	0.2	0.5	0.9	1.3	0.5	0.1	*	3.6
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.4	0.2	*	*	1.3
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.2	0.1	*	1.1
	5	-	*	*	*	*	*	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.2	0.3	0.5	0.8	0.5	0.1	*	2.8
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	0.1	*	*	*	1.1
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	*	-	0.1
	4	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	-	-	0.6

* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.6
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	0.1	0.2	*	*	*	0.4
	4	-	*	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	-	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	0.7
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	*	-	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL-----		-	*	*	0.1	0.6	1.7	3.7	7.3	13.2	20.8	33.6	15.1	3.7	0.2	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	45.8															
Bark - Level 2	"															
Grass - Level 1	0.6															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	0.2															
Other - Level 1	*															

4,279,190 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 19. -- **Virginia**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2009

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	0.1	2.0	11.4	35.3	36.8	11.9	2.3	0.1	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.9														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

103,947 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through January 29, 2009

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	0.1	-	*	*	*	7.2	-	*
25	*	0.1	*	*	*	*	5.7	-	*
26	*	0.1	*	*	*	*	5.1	-	*
27	*	0.1	*	*	*	*	5.4	-	*
28	*	0.1	*	*	*	*	6.1	*	*
29	*	0.2	*	0.1	*	*	9.6	*	*
30	*	0.2	*	0.1	*	*	9.8	*	*
31	0.1	0.2	*	0.2	0.1	*	8.2	*	*
32	0.1	0.3	*	0.4	0.1	0.1	7.1	*	*
33	0.2	0.4	0.1	0.6	0.1	0.1	6.1	*	0.1
34	0.2	0.5	0.1	0.9	0.2	0.1	5.3	*	0.2
35	0.4	0.8	0.2	1.6	0.3	0.3	4.3	0.1	0.3
36	0.5	1.3	0.3	2.5	0.6	0.5	3.1	0.1	0.5
37	0.7	1.7	0.5	3.3	0.7	0.8	2.7	0.3	0.7
38	1.0	2.5	0.8	4.5	0.8	1.3	2.9	0.4	1.0
39	1.5	3.6	1.4	6.2	1.4	2.1	2.5	0.7	1.7
40	2.2	4.2	2.1	8.2	2.3	3.1	1.8	1.1	2.6
41	3.0	4.7	3.1	10.0	3.3	4.5	2.4	1.4	4.2
42	4.1	5.0	4.4	10.1	4.5	6.5	1.6	2.3	5.8
43	5.4	5.7	6.1	11.4	5.5	8.6	1.4	3.1	7.8
44	7.0	6.4	7.9	10.9	7.1	10.5	0.8	4.4	9.3
45	8.5	6.9	9.8	9.5	9.1	11.5	0.5	6.0	9.7
46	10.2	7.9	11.0	7.2	11.4	11.7	0.4	7.9	10.1
47	11.5	8.8	12.0	5.3	12.7	11.1	0.1	10.7	10.2
48	11.7	9.7	11.5	3.5	12.6	9.6	-	12.7	9.7
49	10.7	10.0	9.9	1.9	11.0	7.6	*	13.6	8.4
50	8.6	8.3	7.6	1.1	8.6	5.1	-	13.4	6.7
51	6.1	5.6	5.2	0.2	4.9	2.8	*	10.5	4.7
52	3.6	3.0	3.2	0.1	1.9	1.4	*	6.5	3.4
53	1.8	1.3	1.6	*	0.5	0.4	-	3.3	1.8
54	0.7	0.3	0.7	*	0.1	0.1	-	1.1	0.6
55	0.2	*	0.2	-	*	*	-	0.3	0.2
56	*	*	*	-	*	*	-	*	0.1
57	*	*	*	-	*	-	-	*	*
58	-	-	*	-	-	-	-	*	*
59	-	-	-	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	48	48	48	-	48	47	-	48	47
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-
21	*	*	-	-	-	*	-	*	-
22	*	*	-	-	*	*	*	0.1	-
23	0.1	*	*	-	*	*	0.3	0.8	*
24	0.4	0.1	*	*	0.2	0.2	1.9	3.1	0.1
25	1.9	0.2	*	*	0.8	1.2	6.4	6.9	0.6
26	7.1	1.0	0.2	0.1	4.2	5.4	12.8	11.8	2.1
27	16.9	3.4	1.0	0.6	14.0	14.8	23.0	15.4	5.1
28	25.6	8.2	4.0	1.3	27.9	26.3	18.5	18.0	11.9
29	24.0	16.2	11.9	3.4	27.9	27.6	14.7	19.3	21.7
30	14.6	24.0	24.4	6.5	16.4	16.3	12.4	13.7	26.2
31	6.4	23.1	30.5	6.8	6.3	6.1	6.9	7.6	19.3
32	2.3	14.3	19.8	5.9	1.8	1.8	2.4	2.7	9.4
33	0.6	6.3	6.7	10.7	0.4	0.3	0.7	0.5	3.0
34	0.1	2.3	1.3	22.1	0.1	*	*	0.1	0.5
35	*	0.7	0.2	24.4	*	*	*	*	*
36 & above	*	0.1	*	18.2	*	*	-	*	*
Average strength	28.5	30.4	30.7	33.7	28.6	28.6	28.0	28.1	29.8

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through January 29, 2009

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	*	1.1	-	0.2	*	-	1.4	-	0.5
25	*	0.4	-	0.2	*	*	1.3	-	0.5
26	*	0.6	-	0.3	*	*	1.6	-	0.6
27	*	0.8	*	0.4	*	*	2.0	-	0.8
28	*	1.6	*	0.5	*	*	2.4	-	0.9
29	*	3.1	*	0.7	*	*	2.7	-	1.0
30	*	5.2	*	0.9	*	*	3.0	-	1.2
31	*	6.4	*	1.1	*	*	3.3	-	1.3
32	0.1	8.1	*	1.3	0.1	*	3.5	-	1.4
33	0.1	8.5	*	1.6	0.1	0.1	3.8	*	1.5
34	0.3	8.5	*	1.9	0.1	0.2	4.0	*	1.7
35	0.4	7.9	0.1	2.4	0.3	0.3	4.3	0.2	1.9
36	0.7	7.8	0.2	3.1	0.3	0.5	4.5	0.4	2.1
37	1.0	7.6	0.6	4.0	0.6	1.0	4.8	0.9	2.4
38	1.5	6.9	1.1	4.8	0.9	1.5	5.0	1.9	2.8
39	2.2	5.8	2.0	5.6	1.5	2.5	5.1	3.3	3.3
40	3.1	5.2	3.4	6.4	2.7	3.5	5.2	4.4	3.9
41	4.5	4.4	4.9	7.1	4.2	4.6	5.2	6.4	4.7
42	6.0	3.5	6.7	7.6	6.1	5.6	5.1	8.3	5.5
43	7.3	2.7	8.2	8.0	8.2	6.7	4.8	8.7	6.4
44	8.7	2.0	9.5	7.9	10.7	7.5	4.6	9.3	7.2
45	9.8	1.0	10.3	8.0	11.9	8.6	4.4	9.5	7.8
46	10.3	0.4	10.8	7.4	12.3	9.6	3.9	9.6	8.0
47	10.3	0.3	10.8	6.0	11.4	9.7	3.6	9.5	7.9
48	9.5	0.2	9.5	4.6	9.8	9.4	3.2	8.5	7.3
49	8.0	0.1	7.7	3.4	7.7	8.2	2.6	6.9	6.2
50	6.2	*	5.8	2.2	5.1	6.8	2.0	5.0	4.7
51	4.4	*	4.0	1.4	3.0	5.0	1.2	3.6	3.2
52	2.8	-	2.5	0.7	1.7	3.5	0.7	2.4	1.9
53	1.7	-	1.2	0.3	0.8	2.3	0.4	1.0	1.0
54	0.8	-	0.3	0.1	0.3	1.4	0.2	0.2	0.4
55	0.2	-	0.1	*	0.1	0.9	0.1	*	0.1
56	*	-	*	*	*	0.3	*	-	*
57	*	-	*	*	*	*	*	*	*
58	-	-	*	*	*	-	*	*	*
59	-	-	-	-	-	-	*	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	48	-	43	-	48	48	47	-	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	*	-	*
19	-	-	-	-	-	-	*	-	*
20	-	*	-	-	-	-	*	-	*
21	-	-	-	-	-	-	*	-	*
22	-	*	*	*	-	-	*	-	*
23	*	0.1	*	*	-	*	0.2	-	0.1
24	*	0.3	0.2	0.1	0.5	*	0.4	0.1	0.3
25	*	0.7	0.9	0.5	2.0	*	1.1	0.8	1.0
26	0.2	2.3	3.3	1.8	5.6	0.3	3.0	3.4	3.0
27	1.1	7.4	9.6	5.5	12.9	1.7	7.2	9.3	7.4
28	3.7	16.4	19.9	12.1	22.5	7.8	13.6	19.6	14.1
29	11.1	23.6	26.4	20.7	25.6	21.1	20.1	28.2	20.0
30	26.2	22.0	21.7	24.0	18.0	28.4	22.8	22.7	21.5
31	31.9	15.5	11.7	18.6	8.4	22.3	18.1	10.6	17.2
32	18.4	7.2	4.7	10.3	3.3	12.2	9.2	3.9	9.1
33	5.9	2.9	1.6	4.5	1.0	4.7	3.2	1.3	3.4
34	1.3	1.1	0.1	1.5	0.2	1.3	0.8	0.2	1.4
35	0.1	0.4	*	0.4	*	0.2	0.2	-	0.9
36 & above	-	0.2	-	*	-	*	*	-	0.6
Average strength	30.7	29.5	29.1	29.9	28.7	30.2	29.6	29.1	29.7

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through January 29, 2009

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	*	-	-	-
72.5-73.4	-	-	-	-	-	*	-	-	-
73.5-74.4	-	*	-	-	-	*	*	*	-
74.5-75.4	-	*	-	-	-	*	*	*	-
75.5-76.4	*	*	*	*	*	*	0.6	0.2	*
76.5-77.4	0.4	0.3	*	*	0.1	0.6	4.3	1.6	*
77.5-78.4	4.6	1.5	0.1	0.2	2.7	5.5	9.2	7.9	0.6
78.5-79.4	14.9	7.1	0.5	1.4	13.8	19.6	17.5	19.1	3.0
79.5-80.4	25.8	24.6	3.6	5.9	34.4	34.4	30.3	26.2	11.3
80.5-81.4	27.9	35.8	16.3	18.0	31.6	26.4	26.7	23.5	26.2
81.5-82.4	19.9	23.4	46.8	23.6	12.7	10.2	9.9	14.4	35.4
82.5-83.4	5.9	6.4	29.2	20.7	4.0	2.9	1.4	5.8	20.2
83.5-84.4	0.5	0.8	3.4	25.6	0.6	0.5	*	1.1	3.1
84.5-85.4	*	*	0.1	4.1	*	*	*	*	*
85.5-86.4	*	-	*	0.4	*	*	-	-	*
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.6	80.9	82.1	82.5	80.5	80.2	80.0	80.3	81.7
TRASH 2/									
0.0	-	*	-	*	-	-	-	-	-
0.1	0.8	37.4	0.4	27.9	0.3	0.9	0.9	0.7	0.4
0.2	11.3	35.3	6.6	43.2	8.8	14.0	7.7	11.1	5.6
0.3	26.2	13.5	19.1	18.8	26.9	30.7	13.5	24.0	14.6
0.4	22.8	5.4	25.0	6.4	26.7	26.3	15.4	24.1	18.6
0.5	16.5	2.9	20.9	2.2	17.9	15.0	14.9	17.7	18.4
0.6	9.1	1.7	13.4	0.8	9.3	7.2	12.1	10.8	14.7
0.7	5.7	1.1	7.4	0.3	4.9	3.4	9.6	5.9	11.0
0.8	3.1	0.7	3.7	0.2	2.4	1.6	7.5	3.0	7.0
0.9	1.7	0.5	1.7	0.1	1.3	0.6	5.4	1.3	3.9
1.0	1.0	0.4	0.9	0.1	0.7	0.2	4.0	0.7	2.3
1.1	0.6	0.3	0.4	*	0.4	0.1	3.3	0.3	1.4
1.2	0.4	0.2	0.2	*	0.2	*	2.4	0.2	0.8
1.3	0.2	0.2	0.1	*	0.1	*	1.5	0.1	0.5
1.4	0.2	0.1	*	*	0.1	*	0.9	*	0.3
1.5	0.1	0.1	*	*	*	*	0.5	*	0.2
1.6	0.1	0.1	*	*	*	*	0.2	*	0.1
1.7	*	*	*	*	*	*	0.1	*	0.1
1.8 & above	0.1	0.2	*	*	*	*	0.2	*	0.2
Average trash	0.44	0.23	0.47	0.22	0.43	0.39	0.59	0.44	0.55

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through January 29, 2009

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	-	*	-	-	*	-	*
74.5-75.4	-	*	-	*	*	-	*	-	*
75.5-76.4	*	0.1	*	0.3	-	-	0.2	-	0.1
76.5-77.4	*	0.2	*	1.2	*	*	1.3	*	0.6
77.5-78.4	0.1	1.0	0.6	4.1	1.7	0.1	4.7	0.2	3.1
78.5-79.4	0.8	5.0	3.9	11.6	8.3	1.0	13.1	1.7	9.7
79.5-80.4	4.0	21.2	15.1	23.2	24.0	6.1	25.6	9.6	20.2
80.5-81.4	19.6	37.6	33.2	29.3	32.1	23.8	29.9	30.4	26.8
81.5-82.4	45.8	25.8	33.4	21.6	23.0	42.4	18.7	41.1	25.5
82.5-83.4	26.7	8.0	12.0	7.7	9.4	23.1	5.6	15.1	11.6
83.5-84.4	2.9	1.1	1.7	1.0	1.3	3.3	0.7	1.8	2.2
84.5-85.4	0.1	*	0.1	*	0.1	0.1	*	0.1	0.2
85.5-86.4	*	-	-	-	-	*	*	-	*
86.5-87.4	-	-	-	-	-	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.0	81.1	81.4	80.8	81.0	81.9	80.6	81.6	81.0
TRASH 2/									
0.0	-	*	*	*	*	*	*	-	*
0.1	1.3	36.6	0.1	14.7	0.2	2.3	8.5	*	5.9
0.2	11.8	43.2	3.9	37.6	4.8	13.4	26.9	0.9	18.3
0.3	23.1	12.9	14.9	25.2	18.7	20.9	25.4	8.7	23.0
0.4	23.8	4.2	20.6	12.0	24.3	20.8	16.8	18.3	19.6
0.5	17.2	1.6	19.6	5.3	20.2	16.6	9.9	21.5	13.7
0.6	10.6	0.8	15.8	2.4	14.1	11.5	5.6	19.5	8.5
0.7	6.0	0.4	9.6	1.2	7.4	7.0	3.1	12.4	4.9
0.8	3.2	0.2	6.3	0.6	4.5	3.9	1.7	7.9	2.7
0.9	1.6	0.1	3.8	0.3	2.5	1.9	0.9	4.9	1.5
1.0	0.8	0.1	2.2	0.2	1.4	1.0	0.5	2.7	0.8
1.1	0.4	*	1.3	0.1	0.9	0.4	0.3	1.6	0.4
1.2	0.2	*	0.8	0.1	0.5	0.2	0.2	0.9	0.3
1.3	0.1	*	0.4	0.1	0.3	0.1	0.1	0.4	0.1
1.4	*	-	0.2	*	0.1	*	0.1	0.1	0.1
1.5	*	-	0.2	*	0.1	*	*	0.1	*
1.6	*	-	0.1	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	0.1	*	*	*	*	*	*
Average trash	0.44	0.20	0.54	0.28	0.50	0.44	0.35	0.58	0.40

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through January 29, 2009

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	-	6.6	-	-	6.4
	2	-	4.3	-	-	4.3
	3	-	*	-	-	*
	4	-	-	-	-	-
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	10.9	-	-	10.8
02	1	-	18.7	-	-	18.5
	2	-	55.9	-	-	56.6
	3	-	8.9	-	-	8.6
	4	-	0.3	-	-	0.3
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	83.8	-	-	84.0
03	1	-	0.2	-	-	0.2
	2	-	1.9	-	-	1.9
	3	-	1.8	-	-	1.8
	4	-	0.5	-	-	0.5
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	4.5	-	-	4.5
04	1	-	*	-	-	*
	2	-	0.1	-	-	0.1
	3	-	0.2	-	-	0.2
	4	-	0.1	-	-	0.1
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	0.5	-	-	0.4
05	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	0.1	-	-	0.1
06	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	0.1	-	-	0.1
07	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	0.1	-	-	0.1
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	0.2	-	-	0.2
STAPLE						
40 & shorter		-	-	-	-	-
42		-	*	-	-	*
44		-	2.4	-	-	2.5
46		-	28.9	-	-	30.7
48 & longer		-	68.6	-	-	66.7
Average		-	47.5	-	-	47.5
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	-	-	-	-
80.5-81.4		-	*	-	-	*
81.5-82.4		-	0.2	-	-	0.2
82.5-83.4		-	1.7	-	-	1.6
83.5-84.4		-	8.2	-	-	7.9
84.5-85.4		-	33.0	-	-	32.4
85.5-86.4		-	41.6	-	-	43.2
86.5-87.4		-	12.8	-	-	12.3
87.5-88.4		-	2.3	-	-	2.1
88.5-89.4		-	0.1	-	-	0.1
89.5 & above		-	*	-	-	*
Average		-	85.6	-	-	85.6
BALES CLASSED		-	385,773	-	-	412,679

* Less than 0.05 percent.

Table 22. — Quality of American Pima cotton classed for producers by State and United States through January 29, 2009

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	-	-	-	-
25 - 26	-	*	-	-	*
27 - 29	-	0.8	-	-	0.7
30 - 32	-	2.6	-	-	2.6
33 - 34	-	1.8	-	-	2.0
35 - 36	-	3.7	-	-	3.8
37 - 42	-	74.2	-	-	74.1
43 - 49	-	16.8	-	-	16.8
50 - 52	-	*	-	-	*
53 & above	-	-	-	-	-
Average	-	40	-	-	40
ALL MIKE					
24 & below	-	-	-	-	-
25	-	*	-	-	*
26	-	*	-	-	*
27	-	0.1	-	-	0.1
28	-	0.2	-	-	0.2
29	-	0.5	-	-	0.4
30	-	0.8	-	-	0.8
31	-	0.9	-	-	0.9
32	-	0.9	-	-	0.9
33	-	0.8	-	-	0.9
34	-	1.0	-	-	1.1
35	-	1.2	-	-	1.3
36	-	2.5	-	-	2.5
37	-	4.8	-	-	5.0
38	-	9.2	-	-	9.3
39	-	13.6	-	-	13.6
40	-	17.5	-	-	17.4
41	-	16.5	-	-	16.2
42	-	12.6	-	-	12.5
43	-	8.8	-	-	8.8
44	-	4.4	-	-	4.4
45	-	2.3	-	-	2.3
46	-	0.9	-	-	0.9
47	-	0.3	-	-	0.3
48	-	0.1	-	-	0.1
49	-	*	-	-	*
50	-	*	-	-	*
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	-	40	-	-	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	*	-	-	*
32	-	*	-	-	*
33	-	*	-	-	*
34	-	0.1	-	-	0.1
35	-	0.3	-	-	0.4
36	-	0.9	-	-	1.0
37	-	1.6	-	-	1.9
38	-	3.3	-	-	4.1
39	-	7.6	-	-	8.6
40	-	12.6	-	-	13.3
41	-	16.9	-	-	16.9
42	-	18.2	-	-	17.5
43	-	16.4	-	-	15.5
44	-	11.3	-	-	10.6
45 & above	-	11.0	-	-	10.3
Average	-	41.8	-	-	41.6
EXTRANEEOUS MATTER					
Bark	-	*	-	-	0.1
Grass	-	0.1	-	-	0.1
Spindle Twist	-	*	-	-	*
Preparation	-	0.9	-	-	0.8

* Less than 0.05 percent.



1022974570

Year	Area	Production	Consumption	Export	Import	Stock
1950	100	100	100	0	0	0
1951	100	100	100	0	0	0
1952	100	100	100	0	0	0
1953	100	100	100	0	0	0
1954	100	100	100	0	0	0
1955	100	100	100	0	0	0
1956	100	100	100	0	0	0
1957	100	100	100	0	0	0
1958	100	100	100	0	0	0
1959	100	100	100	0	0	0
1960	100	100	100	0	0	0
1961	100	100	100	0	0	0
1962	100	100	100	0	0	0
1963	100	100	100	0	0	0
1964	100	100	100	0	0	0
1965	100	100	100	0	0	0
1966	100	100	100	0	0	0
1967	100	100	100	0	0	0
1968	100	100	100	0	0	0
1969	100	100	100	0	0	0
1970	100	100	100	0	0	0
1971	100	100	100	0	0	0
1972	100	100	100	0	0	0
1973	100	100	100	0	0	0
1974	100	100	100	0	0	0
1975	100	100	100	0	0	0
1976	100	100	100	0	0	0
1977	100	100	100	0	0	0
1978	100	100	100	0	0	0
1979	100	100	100	0	0	0
1980	100	100	100	0	0	0
1981	100	100	100	0	0	0
1982	100	100	100	0	0	0
1983	100	100	100	0	0	0
1984	100	100	100	0	0	0
1985	100	100	100	0	0	0
1986	100	100	100	0	0	0
1987	100	100	100	0	0	0
1988	100	100	100	0	0	0
1989	100	100	100	0	0	0
1990	100	100	100	0	0	0
1991	100	100	100	0	0	0
1992	100	100	100	0	0	0
1993	100	100	100	0	0	0
1994	100	100	100	0	0	0
1995	100	100	100	0	0	0
1996	100	100	100	0	0	0
1997	100	100	100	0	0	0
1998	100	100	100	0	0	0
1999	100	100	100	0	0	0
2000	100	100	100	0	0	0
2001	100	100	100	0	0	0
2002	100	100	100	0	0	0
2003	100	100	100	0	0	0
2004	100	100	100	0	0	0
2005	100	100	100	0	0	0
2006	100	100	100	0	0	0
2007	100	100	100	0	0	0
2008	100	100	100	0	0	0
2009	100	100	100	0	0	0
2010	100	100	100	0	0	0
2011	100	100	100	0	0	0
2012	100	100	100	0	0	0
2013	100	100	100	0	0	0
2014	100	100	100	0	0	0
2015	100	100	100	0	0	0
2016	100	100	100	0	0	0
2017	100	100	100	0	0	0
2018	100	100	100	0	0	0
2019	100	100	100	0	0	0
2020	100	100	100	0	0	0